

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 February 2002 (07.02.2002)

PCT

(10) International Publication Number
WO 02/09682 A2

(51) International Patent Classification⁷: **A61K 31/00**

(21) International Application Number: PCT/IT01/00390

(22) International Filing Date: 20 July 2001 (20.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
RM2000A000433 1 August 2000 (01.08.2000) IT

(71) Applicant (for all designated States except US):
SIGMA-TAU INDUSTRIE FARMACEUTICHE RIUNITE S.P.A. [IT/IT]; Viale Shakespeare, 47, I-00144 Roma (IT).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **ARDUINI, Arduino** [IT/IT]; c/o Sigma-Tau Industrie Farmaceutiche Riunite S.p.A., Via Pontina, Km. 30,400, I-00040 Pomezia (IT).

(74) Agent: **SPADARO, Marco**; c/o Sigma-Tau Industrie Farmaceutiche Riunite S.p.A., Via Pontina, Km. 30,400, I-00040 Pomezia (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW. ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designation US
- of inventorship (Rule 4.17(iv)) for US only

Published:

- without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: USE OF FIBRATES FOR THE PREPARATION OF A MEDICAMENT USEFUL IN THE TREATMENT OF CONGESTIVE HEART FAILURE

(57) Abstract: The use of fibrates, particularly clofibrate, is described for the preparation of a medicament useful in the treatment of congestive heart failure, and particularly for states of heart failure unrelated to dyslipidaemic conditions.

WO 02/09682 A2

Use of fibrates for the preparation of a medicament useful in the treatment of congestive heart failure.

The invention described herein relates to medicaments useful for the treatment of cardiovascular diseases, particularly congestive heart failure.

Background to the invention

Congestive heart failure (CHF) is an important cause of disability and sudden death (approximately 10%/year), with a high incidence (1-5 cases per 1,000 inhabitants in the younger age brackets; more than 30 cases per 1,000 inhabitants in patients aged above 75 years.

The physiopathological mechanisms involved in the onset, development and progression of CHF have still to be fully clarified. Despite the fact that numerous biochemical, electrophysiological and functional abnormalities have been found, it is hard to establish whether these constitute a cause or a consequence of the disease.

CHF is due to the inability of the heart to pump blood in sufficient amounts to cope with the metabolic needs of the various tissues. This condition is accompanied by profound changes in the control system of the heart's electrical and mechanical functions. The biochemical and neurohormonal abnormalities observed are a mechanism of adaptation to the altered haemodynamic condition of the decompensated heart, characterised mainly by a reduction in cardiac output, an increase in peripheral resistances and retention

of blood upstream of the decompensated heart, with consequent atrial dilation and retrograde decompensation.

Etomoxir is an irreversible inhibitor of CPT1, known as a potent serum-glucose-lowering agent both in human subjects and in
5 animal models.

Recently, the possible therapeutic role of inhibition of carnitine palmitoyl transferase 1 (CPT1) in heart failure has been emerging in various experimental models and also in human subjects. The pharmacological action of Etomoxir consists in the inhibition of
10 CPT1, an enzyme located on the inner surface of the external mitochondrial membrane and involved in the transport of long-chain fatty acids into the mitochondria within the framework of the oxidation processes of these acids (McGarry et al. J. Clin. Invest. 52:877-884). By inhibiting the enzyme CPT1, and consequently the
15 oxidation of fatty acids, Etomoxir increases the oxidation of glucose, reducing gluconeogenesis (Selby et al. Trends Pharmacol. Sci. 10:495-500). This phenomenon has been observed in the liver, skeletal muscle and heart with a consequent reduction of β -oxidation and an accumulation of lipids, particularly in the liver
20 and heart (Reinauer et al. J. Clin. Chem. 28:335-339).

Several studies have demonstrated the efficacy of Etomoxir in improving the functional capability of the myocardium in animal models of cardiac hypertrophy and heart failure (Turcani et al. Circulation 1997, 96:3681-3686 and Br. J. Pharmacol 1999,

126:501-507), and a positive effect of Etomoxir treatment has also been observed more recently in human subjects suffering from heart failure (NYHA II-III).

It has recently been demonstrated that, in the heart, Etomoxir
5 and long-chain fatty acids are capable of activating the transcription of the CPT1 gene through PPAR α (Brandt et al J. Biol. Chem., 1998, 273: 23786-23792) of which Etomoxir is a known ligand.

In international patent application WO 98/05331, filed in the name of Ligand Pharm. Inc, methods are described for the treatment
10 of type II diabetes and cardiovascular diseases associated with the diabetic or prediabetic state. In this reference, incorporated herein in its entirety, also with regard to the references cited therein, a method is described for the treatment of type II diabetes or cardiovascular diseases associated with diabetic or prediabetic
15 conditions, comprising the administration of a combination of two active ingredients with PPAR γ and PPAR α agonist activity, respectively. The compounds preferably indicated as PPAR γ agonists are compounds belonging to the thiazolidinedione class, such as, for example, the glitazones. The compounds preferably indicated as
20 PPAR α agonists are compounds belonging to the fibrate class. In one case, a single compound is described endowed with both PPAR α and PPAR γ agonist activity. The diseases treated are, in addition to type II diabetes, those associated with the complex diabetic picture. Those mentioned are hypertriglyceridaemia, hyperinsulinaemia,

hyperfibrinogaemia, hypertension, obesity, and X syndrome. The method described is also effective in HDL cholesterol level elevation, increased insulin sensitivity, the uptake of glucose at adipocyte or muscle cell level, and in the prevention of insulin resistance. As regards the cardiovascular district, the method described applies to the disorders associated with the diabetic or prediabetic condition, and therefore to hypertension, and coronary artery disorders, mainly due to atheromatous phenomena.

Summary of the invention

It has now surprisingly been found that the fibrates, and particularly clofibrate, which are ligands of PPAR α devoid of CPT1 inhibitory activity, are effective in the treatment of congestive heart failure.

One subject of the invention described herein is therefore the use of a ligand of PPAR α , particularly a fibrate, in the preparation of a medicament useful for the treatment of congestive heart failure.

In one particularly preferred embodiment of the invention, one subject of the invention described herein is the use of a fibrate in the preparation of a medicament useful for the treatment of congestive heart failure, said heart failure being unrelated to dyslipidaemic states of any type.

In an even more preferred embodiment, the use of clofibrate is envisaged in the invention described herein.

Within the framework of the preferred embodiment of the invention described herein, the fibrates as a chemical class are suitable for said embodiment. Examples of fibrates are clofibrate, which is the one preferred according to the invention, gemfibrozil, 5 phenofibrate, bezofibrate, and ciprofibrate. In the context of the invention, what is meant by "fibrates" are the fibrates, their analogues, congeners and derivatives. The fibrates, with the meaning as understood in the invention described herein, can be used as such or in the form of pharmaceutically acceptable 10 derivatives, such as salts, or derivatives that improve the pharmacokinetic aspects, though conserving specific activity (prodrugs).

As regards the industrial aspect of the present invention, the medicaments will be in the form of suitable pharmaceutical 15 formulations (or compositions), prepared according to conventional methods known to the expert in the sector. Examples of pharmaceutical compositions are tablets, capsules, pills, sachets, liquid forms for oral administration, such as solutions, suspensions and emulsions; controlled release forms for oral administration or 20 enteric administration in general; forms for parenteral administration, such as injectable forms.

The following example further illustrates the invention.

EXAMPLE

Materials and Methods

Animal-housed male Wistar rats weighing 100-120 g were used: 5 per cage (cage size: 425 mm x 266 mm x 180 mm with a sawdust litter) at a temperature of $21 \pm 1^\circ\text{C}$ and $50 \pm 15\%$ humidity with a 12/12 h light/darkness cycle and with 15-20 air changes/hour. The animals were fed with LP ALTROMIN (REIPER) feed and spring water ad libitum

Induction of cardiac hypertrophy

Left ventricular hypertrophy was induced in rats anaesthetised with Nembutal sodium, by means of constriction of the abdominal aorta with a clip (\varnothing 0.8 mm) placed in the abdominal aorta between the diaphragm and the renal branches; one group of animals, which was then used as a control group, underwent the same operation but was not submitted to constriction of the aorta (shams).

The animals were thus randomly assigned to the following groups:

Shams: operated on without aortic constriction (n=8)

Controls: operated on with aortic constriction (n=8)

CLO: operated on with aortic constriction and treated for 12 weeks from the day after the operation with clofibrate 0.2% in the feed (60-100 mg/kg/day (n= 11).

Evaluation of cardiac function

At the end of treatment, cardiac function was evaluated, in the animals anaesthetised with Nembutal sodium, by means of a

polyethylene catheter inserted in the left ventricle via the carotid and connected up to a pressure transducer (Statham p23XL) and to an amplifier (Biomedica Mangoni bm 61)

The parameters recorded were: heart rate, ventricular systolic and end-diastolic pressure, and the positive and negative derivatives of ventricular pressure, which were recorded on a personal computer by means of a special data acquisition system (IDAS). The measurements were taken for a period of 30 minutes.

Macroscopic assessment

At the end of the experiments the animals were sacrificed by means of a lethal dose of Nembutal, the abdominal cavity was opened, the organs were exteriorised in order to verify correct positioning of the aortic clip, and the heart, lungs and liver were then removed and carefully dried and weighed after macroscopic observation of any abnormalities.

Statistical analysis

The data were expressed as mean \pm standard deviation and were compared using Student's *t*-test for independent data. Differences with $P < 0.05$ were regarded as statistically significant.

Results

Weight parameters

Table 1 presents the weight parameters measured at the end of the experiment; the body weight of the animals does not change significantly either as a result of constriction of the aorta or as a

result of the treatments. Aortic constriction induces a significant ventricular hypertrophy; in fact, the heart weight of the animals with the clip increases by approximately 35% as compared to the shams ($P<0.05$) (Table 1); the treatments administered do not modify heart weight as compared to the untreated controls. Liver and lung weights were not changed either as a result of aortic constriction or as a result of the treatments administered.

TABLE 1

Body weight and ventricular, lung and liver weight (BW = body weight (g); VW = ventricular weight (mg), LW = lung weight (mg), LvW = liver weight (mg))

	Shams	Controls	CLO
BW	396±11	376±9	392 ± 12
VW/BW	2.42±0.04	3.23±0.08a	3.33±0.20a
L W/BW	3.79±0.17	3.61±0.10	3.49±0.07
LvW/BW	28.9±1.2	27.0±1.5	29.2±1.8

a = $P<0.05$ vs shams

Cardiac function

Aortic constriction induces a significant increase both in left ventricular systolic pressure and in end-diastolic pressure; the pressure developed, and the positive and negative derivatives of ventricular pressure show no statistically significant changes in

absolute values in the animals with aortic constriction as compared to the shams (Table 2).

If the pressure developed is normalised for ventricular weight, a statistically significant reduction in this parameter is observed in
5 the animals with aortic constriction; similarly, the positive derivative of ventricular pressure is significantly reduced if it is normalised for ventricular systolic pressure (Table 2).

Treatment of the animals with aortic constriction normalises end-diastolic pressure, and the pressure developed in relation to
10 ventricular weight, with a significant improvement in both the positive and negative derivatives of ventricular pressure (Table 2).

Treatment with clofibrate induces a further increase in left ventricular systolic pressure and normalises end-diastolic pressure in the animals with aortic constriction.

15 The pressure developed in relation to ventricular weight, and both the positive and negative derivatives of ventricular pressure are significantly improved by treatment with clofibrate (Table 2).

The results are summarised in Table 2, in which HR = heart rate (b/min); LVSP = left ventricular systolic pressure (mm Hg); LVEDP =
20 left ventricular end-diastolic pressure LdevP developed pressure (mm Hg); HW = ventricular weight (mg), DP/dt max = positive derivative of ventricular pressure (mm Hg/sec); DP/dt min = negative derivative of ventricular pressure (mm Hg/sec).

Table 2Cardiac functional parameters

	Sham	Controls	CLO
HR	357±18	382±13	401±16
5 LVSP	147±5	182±11 a	206±5 aB
LVEDP	2.5±2.1	16.7±4.2 b	7.2±1.2 A
LdevP	150±5	169±15	207±7 cA
LDevP/HW	7.9±0.9	5.4±0.5 a	13.3±1.5 aC
DP/dt max	7434±559	6709±1080	16108±1115e C
10 DP/dt min	4849±492	5342±993	9556±560 bA
DP/dtmax/LVSP	51±4	36±5 a	77±5 eC

a= P<0.05; b= P<0.01; c= P<0.001 vs shams; A= P<0.05; B= P<0.01; C= P<0.001 vs Controls

CLAIMS

1. Use of a ligand of PPAR α , particularly a fibrate, for the preparation of a medicament useful in the treatment of congestive heart failure.
- 5 2. Use of a ligand of PPAR α , particularly a fibrate, in the preparation of a medicament useful for the treatment of congestive heart failure, said heart failure being unrelated to dyslipidaemic conditions of any kind.
- 10 3. Use according to claim 1 or 2, where said fibrate is selected from the group consisting of gemfibrozil, phenofibrate, bezofibrate, ciprofibrate, and clofibrate.
4. Use according to claim 3, where said fibrate is clofibrate.

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 February 2002 (07.02.2002)

PCT

(10) International Publication Number
WO 02/09682 A3

(51) International Patent Classification⁷: **A61K 31/216**,
31/195, 31/192, A61P 9/04

(21) International Application Number: PCT/IT01/00390

(22) International Filing Date: 20 July 2001 (20.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
RM2000A000433 1 August 2000 (01.08.2000) IT

(71) Applicant (for all designated States except US):
SIGMA-TAU INDUSTRIE FARMACEUTICHE RIUNITE S.P.A. [IT/IT]: Viale Shakespeare, 47, I-00144 Roma (IT).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **ARDUINI, Arduino** [IT/IT]; c/o Sigma-Tau Industrie Farmaceutiche Riunite S.p.A., Via Pontina, Km. 30,400, I-00040 Pomezia (IT).

(74) Agent: **SPADARO, Marco**; c/o Sigma-Tau Industrie Farmaceutiche Riunite S.p.A., Via Pontina, Km. 30,400, I-00040 Pomezia (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designation US
- of inventorship (Rule 4.17(iv)) for US only

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
18 April 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/09682 A3

(54) Title: USE OF FIBRATES FOR THE PREPARATION OF A MEDICAMENT USEFUL IN THE TREATMENT OF CONGESTIVE HEART FAILURE

(57) Abstract: The use of fibrates, particularly clofibrate, is described for the preparation of a medicament useful in the treatment of congestive heart failure, and particularly for states of heart failure unrelated to dyslipidaemic conditions.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IT 01/00390

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K31/216 A61K31/195 A61K31/192 A61P9/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, MEDLINE, WPI Data, PAJ, BIOSIS, EMBASE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	SCHMIDT-SCHWEDA, S AND HOLUBARSCH, C: "First clinical trial with etomoxir in patients with chronic congestive heart failure" CLINICAL SCIENCE, vol. 99, no. 1, 1 July 2000 (2000-07-01), pages 27-35, XP001027722 the whole document	1,2
X	TURCANI, M, RUPP, H: "Etomoxir improves left ventricular performance of pressure-overloaded rat heart" CIRCULATION, vol. 96, no. 10, 18 November 1997 (1997-11-18), pages 3681-3686, XP001027578 cited in the application the whole document	1,2



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

24 January 2002

Date of mailing of the international search report

08/02/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Deck, A

INTERNATIONAL SEARCH REPORT

Int. .onal Application No
PCT/IT 01/00390

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 925 672 A (GREMM DOROTHEE ET AL) 15 May 1990 (1990-05-15) column 1, line 15,16; claims column 1, line 33-36 column 1, line 60-68 ----	1-4
Y	WO 98 05331 A (LIGAND PHARM INC) 12 February 1998 (1998-02-12) page 5, line 13 page 8, line 28 -page 9, line 3 ----	1-4
A	WO 99 59957 A (TINTI MARIA ORNELLA ;MARZI MAURO (IT); ARDUINI ARDUINO (IT); CHIOD) 25 November 1999 (1999-11-25) the whole document ----	
X,P	WO 01 40207 A (SIERRA MICHAEL LAWRENCE ;GLAXO GROUP LTD (GB)) 7 June 2001 (2001-06-07) page 3, line 19-25 ----	1
E	WO 01 57001 A (GLAXO GROUP LTD ;KENNEDY ANDREW (GB); DAVIS ROMAN (US)) 9 August 2001 (2001-08-09) page 6, line 10-14 page 5, line 25-29 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IT 01/00390

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4925672	A	15-05-1990	DE 3807895 A1 AT 75407 T CA 1336410 A1 DE 58901259 D1 EP 0332918 A2 JP 1268647 A	21-09-1989 15-05-1992 25-07-1995 04-06-1992 20-09-1989 26-10-1989
WO 9805331	A	12-02-1998	AU 4050797 A EP 0930882 A2 WO 9805331 A2	25-02-1998 28-07-1999 12-02-1998
WO 9959957	A	25-11-1999	IT MI981075 A1 AU 3847399 A EP 1077925 A1 WO 9959957 A1	15-11-1999 06-12-1999 28-02-2001 25-11-1999
WO 0140207	A	07-06-2001	AU 2003001 A WO 0140207 A1	12-06-2001 07-06-2001
WO 0157001	A	09-08-2001	AU 2852701 A WO 0157001 A1	14-08-2001 09-08-2001